



Thermostatic Traps

| MOUNTING PATTERN | Size | Sterlco | Armstrong | Hoffman | Mepco | Nicholson Spence | Spirax Sarco | Watson Macdaniel |
|------------------------------------|------|----------|-----------|---------|----------|------------------|--------------|------------------|
| LOW PRESSURE BRASS TRIM | 1/2" | 750-A | TS-2 | • | • | • | T-25 | TA25B-12-N |
| | 1/2" | 950-A | TS-2 | • | 1E-AP | • | T-25 | TA25B-12-N |
| | 1/2" | 970-S | TS-2 | • | 1E-SW | • | • | TS25B-12-N |
| | 1/2" | 970-R | TS-2 | • | 1E-RH | • | • | • |
| | 1/2" | 970-L | TS-2 | • | 1E-LH | • | • | • |
| | 1/2" | 980-VS | TS-2 | • | 1E-VS | • | • | • |
| | 3/4" | 953-A | TS-2 | • | 2E-AP | • | • | TA25B-13-N |
| | 3/4" | 973-S | TS-2 | • | 2E-SW | • | • | TS25B-13-N |
| | 3/4" | 983-VST | TS-2 | • | 1E-VST | • | • | • |
| | 1" | 915-A | • | • | 3C-AP | • | • | • |
| LOW PRESSURE STAINLESS STEEL TRIM | 1/2" | 750-AX | TS-3 | • | • | • | • | • |
| | 1/2" | 950-AX | TS-3 | • | 1ESS-AP | • | • | • |
| | 1/2" | 970-SX | TS-3 | • | 1ESS-SW | • | • | • |
| | 1/2" | 970-RX | TS-3 | • | 1ESS-RH | • | • | • |
| | 1/2" | 970-LX | TS-3 | • | 1ESS-LH | • | • | • |
| | 1/2" | 980-VSX | TS-3 | • | 1ESS-VS | • | • | • |
| | 3/4" | 953-AX | TS-3 | • | 2ESS-AP | • | • | • |
| | 3/4" | 973-SX | TS-3 | • | 2ESS-SW | • | • | • |
| | 3/4" | 983-VSTX | TS-3 | • | 1ESS-VST | • | • | • |
| | 1" | 915-AX | • | • | 3CSS-AP | • | • | • |
| HIGH PRESSURE STAINLESS STEEL TRIM | 1/2" | 950-AH | • | • | TH-1C-AP | • | • | TA125-12-N |
| | 1/2" | 970-SH | • | • | TH-1C-SW | • | • | TS125-12-N |
| | 3/4" | 953-AH | • | • | TH-2C-AP | • | • | TA125-13-N |
| | 1" | 915-AH | • | • | TH-3C-AP | • | • | TA125-13-N |

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Float & Thermostatic Traps

| MOUNTING PATTERN | Size | Sterlco | Armstrong | Hoffman | Mepco | Nicholson Spence | Spirax Sarco | Watson Macdaniel |
|------------------------------------|--------|-------------|---------------|---------|----------|------------------|--------------|------------------|
| H PATTERN NPT | 3/4" | FT92-3-15 | 15-B3 | FT015H | 44-215A | FTN-15 | FT15 | FT3-015-13-N |
| | 1" | FT92-4-15 | 15-B4 | FT015H | 44-415A | FTN-15 | FT15 | FT3-015-14-N |
| | 1-1/4" | FT92-5-15 | 15-B5 | FT015H | 44-515A | FTN-15 | FT15 | • |
| | 1-1/2" | FT92-6-15 | 15-B6 | FT015H | 44-715A | FTN-15 | FT15 | • |
| | 3/4" | FT92-3-30 | 30-A3 / 30-B3 | FT030H | 44-230A | FTN-30 | FT30 | FT33-030-13-N |
| | 1" | FT92-4-30 | 30-A4 / 30-B4 | FT030H | 44-430A | FTN-30 | FT30 | FT33-030-14-N |
| | 1-1/4" | FT92-5-30 | 30-A5 / 30-B5 | FT030H | 44-530A | FTN-30 | FT30 | • |
| | 1-1/2" | FT92-6-30 | 30-A6 / 30-B6 | FT030H | 44-730A | FTN-30 | FT30 | • |
| | 3/4" | FT92-3-75 | 75-A3 | FT075H | 44-275A | FTN-75 | FT75 | • |
| | 1" | FT92-4-75 | 75-A4 | FT075H | 44-475A | FTN-75 | FT75 | • |
| | 1-1/4" | FT92-5-75 | 75-A5 | • | 44-575A | FTN-75 | FT75 | • |
| | 1-1/2" | FT92-6-75 | 75-A6 | • | 44-775A | FTN-75 | FT75 | • |
| | 3/4" | FT92-3-125 | 125-A3 | FT125H | 44-2125A | FTN-125 | FT125 | • |
| | 1" | FT92-4-125 | 125-A4 | FT125H | 44-4125A | FTN-125 | FT125 | • |
| | 1-1/4" | FT92-5-125 | 125-A5 | • | 44-5125A | FTN-125 | FT125 | • |
| | 1-1/2" | FT92-6-125 | 125-A6 | • | 44-7125A | FTN-125 | FT125 | • |
| H PATTERN NPT STAINLESS STEEL TRIM | 3/4" | FT92-3-15X | • | • | 54-230 | • | • | • |
| | 1" | FT92-4-15X | • | • | 54-415 | • | • | • |
| | 1-1/4" | FT92-5-15X | • | • | 54-530 | • | • | • |
| | 1-1/2" | FT92-6-15X | • | • | 54-730 | • | • | • |
| | 3/4" | FT92-3-30X | • | • | 54-230 | • | • | • |
| | 1" | FT92-4-30X | • | • | 54-430 | • | • | • |
| | 1-1/4" | FT92-5-30X | • | • | 54-530 | • | • | • |
| | 1-1/2" | FT92-6-30X | • | • | 54-730 | • | • | • |
| | 3/4" | FT92-3-75X | • | • | 54-275 | • | • | • |
| | 1" | FT92-4-75X | • | • | 54-475 | • | • | • |
| | 1-1/4" | FT92-5-75X | • | • | 54-575 | • | • | • |
| | 1-1/2" | FT92-6-75X | • | • | 54-775 | • | • | • |
| | 3/4" | FT92-3-125X | • | • | 54-2125 | • | • | • |
| | 1" | FT92-4-125X | • | • | 54-4125 | • | • | • |
| | 1-1/4" | FT92-5-125X | • | • | 54-5125 | • | • | • |
| | 1-1/2" | FT92-6-125X | • | • | 54-7125 | • | • | • |

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Float & Thermostatic Traps (Continued)

| MOUNTING PATTERN | Size | Sterlco | Armstrong | Hoffman | Mepco | Nicholson Spence | Spirax Sarco | Watson Macdaniel |
|------------------|--------|---------------|-----------|---------|-----------|------------------|--------------|------------------|
| H PATTERN NPT | 1-1/2" | FT94-6-15 | • | • | 46-715 | • | • | FT7-015-16-N |
| | 2" | FT94-8-15 | • | • | 46-815 | • | • | FT8-015-17-N |
| | 1-1/2" | FT94-6-30 | • | • | 46-730 | • | • | • |
| | 2" | FT94-8-30 | • | • | 46-830 | • | • | • |
| | 1-1/2" | FT94-6-75 | • | • | 46-775 | • | • | • |
| | 2" | FT94-8-75 | • | • | 46-875 | • | • | • |
| | 1-1/2" | FT94-6-125 | • | • | 46-7125 | • | • | • |
| | 2" | FT94-8-125 | • | • | 46-8125 | • | • | • |
| | 1-1/2" | FT94-6-15HC | • | • | 48-715 | • | • | • |
| | 2" | FT94-8-15HC | • | • | 48-815 | • | • | • |
| | 1-1/2" | FT94-6-30HC | • | • | 48-730 | • | • | • |
| | 2" | FT94-8-30HC | • | • | 48-830 | • | • | • |
| | 1-1/2" | FT94-6-75HC | • | • | 48-775 | • | • | • |
| | 2" | FT94-8-75HC | • | • | 48-875 | • | • | • |
| | 1-1/2" | FT94-6-125HC | • | • | 48-7125 | • | • | • |
| | 2" | FT94-8-125HC | • | • | 48-8125 | • | • | • |
| C PATTERN NPT | 2" | FT96-8-15 | • | FT015X | 30-8A | • | • | • |
| | 2" | FT96-8-15HC | 15-J8 | FT015X | SA30-815 | • | • | • |
| | 2-1/2" | FT96-10-15HC | • | FT030C | SA30-915 | • | • | • |
| | 2" | FT96-8-30HC | 30-J8 | FT030X | SA30-830 | • | FTB-30 | • |
| | 2-1/2" | FT96-10-30HC | 30L10 | FT030C | SA30-930 | • | • | • |
| | 1-1/2" | FT96-6-60HC | • | • | • | • | • | • |
| | 2" | FT96-8-60 | • | • | 30-8AS | • | • | • |
| | 2-1/2" | FT96-10-125HC | • | • | SA30-9125 | • | FTB-125 | • |

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Float & Thermostatic Traps (Continued)

| MOUNTING PATTERN | Size | Sterlco | Armstrong | Hoffman | Mepco | Nicholson Spence | Spirax Sarco | Watson Macdaniel |
|------------------|--------|--------------|-----------|---------|----------|------------------|--------------|------------------|
| INLINE NPT | 1/2" | FT90-2-15IL | 30-AI-2 | • | 42-115A | • | • | FTT-065-12-N |
| | 3/4" | FT90-3-15IL | 30-AI-3 | FT015I | 42-215A | • | • | FTT-065-13-N |
| | 1" | FT90-4-15IL | 30-AI-4 | FT015I | 42-415A | FTE-10 | • | • |
| | 1-1/4" | FT90-5-15IL | • | FT015I | 42-515A | • | • | • |
| | 1-1/2" | FT90-6-15IL | • | • | 42-715A | FTE-10 | • | • |
| | 2" | FT90-8-15IL | • | • | 42-815A | FTE-10 | • | • |
| | 1/2" | FT90-2-30IL | 30-AI-2 | • | 42-130A | • | • | • |
| | 3/4" | FT90-3-30IL | 30-AI-3 | FT030I | 42-230A | • | • | • |
| | 1" | FT90-4-30IL | 30-AI-4 | FT030I | 42-430A | FTE-10 | • | • |
| | 1-1/4" | FT90-5-30IL | • | FT030I | 42-530A | • | • | • |
| | 1-1/2" | FT90-6-30IL | • | • | 42-730A | FTE-10 | • | • |
| | 2" | FT90-8-30IL | • | • | 42-830A | FTE-10 | • | • |
| | 1/2" | FT90-2-75IL | 75-AI-2 | • | 42-130A | • | • | • |
| | 3/4" | FT90-3-75IL | 75-AI-3 | FT075I | 42-230A | • | • | • |
| | 1" | FT90-4-75IL | 75-AI-4 | FT075I | 42-430A | FTE-10 | • | • |
| | 1-1/4" | FT90-5-75IL | • | • | 42-530A | • | • | • |
| | 1-1/2" | FT90-6-75IL | • | • | 42-730A | FTE-10 | • | • |
| | 2" | FT90-8-75IL | • | • | 42-830A | FTE-10 | • | • |
| | 3/4" | FT90-3-125IL | 125-AI-3 | FT0125I | 42-230A | FTE-10 | • | • |
| | 1" | FT90-4-125IL | 125-AI-3 | FT0125I | 42-430A | FTE-10 | • | • |
| | 1-1/4" | FT90-5-125IL | • | • | 42-5125A | • | • | • |
| | 1-1/2" | FT90-6-125IL | • | • | 42-7125A | FTE-10 | • | • |
| | 2" | FT90-8-125IL | • | • | 42-8125A | FTE-10 | • | • |

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.

Inverted Bucket Trap

| MOUNTING PATTERN | Size | Sterlco | Armstrong | Hoffman | Mepco | Nicholson Spence | Spirax Sarco | Watson Macdaniel |
|------------------|------|-----------|------------|---------|------------|------------------|--------------|------------------|
| HORIZONTAL NPT | 1/2" | 919-2-20 | 800 Series | B1015A | IB00-2-20 | • | • | IB1031-12-N-20 |
| | 3/4" | 919-3-20 | 800 Series | B1015A | IB00-3-20 | • | • | IB1031-13-N-20 |
| | 1/2" | 919-2-80 | 800 Series | B1075A | IB00-2-80 | • | • | IB1031-12-N-80 |
| | 3/4" | 919-3-80 | 800 Series | B1075A | IB00-3-80 | • | • | IB1031-13-N-80 |
| | 1/2" | 919-2-125 | 800 Series | B1125A | IB00-2-125 | • | • | IB1031-12-N-125 |
| | 3/4" | 919-3-125 | 800 Series | B1125A | IB00-3-125 | • | • | IB1031-13-N-125 |
| | 1/2" | 919-2-150 | 800 Series | • | IB00-2-150 | • | • | IB1031-12-N-150 |
| | 3/4" | 919-3-150 | 800 Series | • | IB00-3-150 | • | • | IB1031-13-N-150 |
| | 1/2" | 920-2-15 | 811 Series | B1015A | IB11-2-15 | • | • | IB1032-12-N-15 |
| | 3/4" | 920-3-15 | 811 Series | B1015A | IB11-3-15 | • | • | IB1032-13-N-15 |
| | 1" | 920-4-15 | 811 Series | • | IB11-4-15 | • | • | IB1032-14-N-15 |
| | 1/2" | 920-2-30 | 811 Series | B1030A | IB11-2-30 | • | • | IB1032-12-N-30 |
| | 3/4" | 920-3-30 | 811 Series | B1030A | IB11-3-30 | • | • | IB1032-13-N-30 |
| | 1" | 920-4-30 | 811 Series | • | IB11-4-30 | • | • | IB1032-14-N-30 |
| | 1/2" | 920-2-70 | 811 Series | • | IB11-2-70 | • | • | IB1032-12-N-70 |
| | 3/4" | 920-3-70 | 811 Series | • | IB11-3-70 | • | • | IB1032-13-N-70 |
| | 1" | 920-4-70 | 811 Series | • | IB11-4-70 | • | • | IB1032-14-N-70 |
| | 1/2" | 920-2-125 | 811 Series | B1125A | IB11-2-125 | • | • | IB1032-12-N-125 |
| | 3/4" | 920-3-125 | 811 Series | B1125A | IB11-3-125 | • | • | IB1032-13-N-125 |
| | 1" | 920-4-125 | 811 Series | • | IB11-4-125 | • | • | IB1032-14-N-125 |
| | 1/2" | 920-2-200 | 811 Series | B1180A | IB11-2-200 | • | • | IB1032-12-N-200 |
| | 3/4" | 920-3-200 | 811 Series | B1180A | IB11-3-200 | • | • | IB1032-13-N-200 |
| | 1" | 920-4-200 | 811 Series | • | IB11-4-200 | • | • | IB1032-14-N-200 |
| | 1/2" | 920-2-250 | 811 Series | B1250A | IB11-2-250 | • | • | IB1032-12-N-250 |
| | 3/4" | 920-3-250 | 811 Series | B1250A | IB11-3-250 | • | • | IB1032-13-N-250 |
| | 1" | 920-4-250 | 811 Series | • | IB11-4-250 | • | • | IB1032-14-N-250 |

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Inverted Bucket Trap (Continued)

| MOUNTING PATTERN | Size | Sterlco | Armstrong | Hoffman | Mepco | Nicholson Spence | Spirax Sarco | Watson Macdaniel |
|------------------|------|-----------|------------|---------|------------|------------------|--------------|------------------|
| HORIZONTAL NPT | 1/2" | 921-2-15 | 812 Series | B2015A | IB12-2-15 | • | • | IB1033-12-N-15 |
| | 3/4" | 921-3-15 | 812 Series | B2015A | IB12-3-15 | • | • | IB1033-13-N-15 |
| | 1/2" | 921-2-30 | 812 Series | B2030A | IB12-2-30 | • | • | IB1033-12-N-30 |
| | 3/4" | 921-3-30 | 812 Series | B2030A | IB12-3-30 | • | • | IB1033-13-N-30 |
| | 1/2" | 921-2-70 | 812 Series | • | IB12-2-70 | • | • | IB1033-12-N-70 |
| | 3/4" | 921-3-70 | 812 Series | • | IB12-3-70 | • | • | IB1033-13-N-70 |
| | 1/2" | 921-2-125 | 812 Series | B2125A | IB12-2-125 | • | • | IB1033-12-N-125 |
| | 3/4" | 921-3-125 | 812 Series | B2125A | IB12-3-125 | • | • | IB1033-13-N-125 |
| | 1/2" | 921-2-200 | 812 Series | B2200A | IB12-2-200 | • | • | IB1033-12-N-200 |
| | 3/4" | 921-3-200 | 812 Series | B2200A | IB12-3-200 | • | • | IB1033-13-N-200 |
| | 1/2" | 921-2-250 | 812 Series | B2250A | IB12-2-250 | • | • | IB1033-12-N-250 |
| | 3/4" | 921-3-250 | 812 Series | B2250A | IB12-3-250 | • | • | IB1033-13-N-250 |
| | 3/4" | 922-3-15 | 813 Series | B3015A | IB13-3-15 | • | • | IB1034-13-N-15 |
| | 1" | 922-4-15 | 813 Series | B3015A | IB13-4-15 | • | • | IB1034-14-N-15 |
| | 3/4" | 922-3-30 | 813 Series | B3030A | IB13-3-30 | • | • | IB1034-13-N-30 |
| | 1" | 922-4-30 | 813 Series | B3030A | IB13-4-30 | • | • | IB1034-14-N-30 |
| | 3/4" | 922-3-60 | 813 Series | • | IB13-3-60 | • | • | IB1034-13-N-60 |
| | 1" | 922-4-60 | 813 Series | • | IB13-4-60 | • | • | IB1034-14-N-60 |
| | 3/4" | 922-3-80 | 813 Series | B3075A | IB13-3-80 | • | • | IB1034-13-N-80 |
| | 1" | 922-4-80 | 813 Series | B3075A | IB13-4-80 | • | • | IB1034-14-N-80 |
| | 3/4" | 922-3-125 | 813 Series | B3125A | IB13-3-125 | • | • | IB1034-13-N-125 |
| | 1" | 922-4-125 | 813 Series | B3125A | IB13-4-125 | • | • | IB1034-14-N-125 |
| | 3/4" | 922-3-180 | 813 Series | B3180A | IB13-3-180 | • | • | IB1034-13-N-180 |
| | 1" | 922-4-180 | 813 Series | B3180A | IB13-4-180 | • | • | IB1034-14-N-180 |
| | 3/4" | 922-3-250 | 813 Series | B3250A | IB13-3-250 | • | • | IB1034-13-N-250 |
| | 1" | 922-4-250 | 813 Series | B3250A | IB13-4-250 | • | • | IB1034-14-N-250 |

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Inverted Bucket Trap (Continued)

| MOUNTING PATTERN | Size | Sterlco | Armstrong | Hoffman | Mepco | Nicholson Spence | Spirax Sarco | Watson Macdaniel |
|------------------|--------|-----------|------------|---------|------------|------------------|--------------|------------------|
| HORIZONTAL NPT | 1" | 923-4-15 | 814 Series | • | IB14-4-15 | • | • | • |
| | 1-1/4" | 923-5-15 | 814 Series | • | IB14-5-15 | • | • | • |
| | 1" | 923-4-30 | 814 Series | • | IB14-4-30 | • | • | • |
| | 1-1/4" | 923-5-30 | 814 Series | • | IB14-5-30 | • | • | • |
| | 1" | 923-4-60 | 814 Series | • | IB14-4-60 | • | • | • |
| | 1-1/4" | 923-5-60 | 814 Series | • | IB14-5-60 | • | • | • |
| | 1" | 923-4-80 | 814 Series | • | IB14-4-80 | • | • | • |
| | 1-1/4" | 923-5-80 | 814 Series | • | IB14-5-80 | • | • | • |
| | 1" | 923-4-125 | 814 Series | • | IB14-4-125 | • | • | • |
| | 1-1/4" | 923-5-125 | 814 Series | • | IB14-5-125 | • | • | • |
| | 1" | 923-4-180 | 814 Series | • | IB14-4-180 | • | • | • |
| | 1-1/4" | 923-5-180 | 814 Series | • | IB14-5-180 | • | • | • |
| | 1" | 923-4-250 | 814 Series | • | IB14-4-125 | • | • | • |
| | 1-1/4" | 923-5-250 | 814 Series | • | IB14-5-125 | • | • | • |

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Inverted Bucket Trap (Continued)

| MOUNTING PATTERN | Size | Sterlco | Armstrong | Hoffman | Mepco | Nicholson Spence | Spirax Sarco | Watson Macdaniel |
|------------------|-----------|------------|------------|------------|------------|------------------|--------------|------------------|
| HORIZONTAL NPT | 1-1/4" | 924-5-15 | 815 Series | B4015A | IB15-5-15 | • | • | • |
| | 1-1/2" | 924-6-15 | 815 Series | B4015A | IB15-6-15 | • | • | • |
| | 2" | 924-8-15 | 815 Series | • | IB15-8-15 | • | • | • |
| | 1-1/4" | 924-5-30 | 815 Series | B4030A | IB15-5-30 | • | • | • |
| | 1-1/2" | 924-6-30 | 815 Series | B4030A | IB15-6-30 | • | • | • |
| | 2" | 924-8-30 | 815 Series | • | IB15-8-30 | • | • | • |
| | 1-1/4" | 924-5-60 | 815 Series | • | IB15-5-60 | • | • | • |
| | 1-1/2" | 924-6-60 | 815 Series | • | IB15-6-60 | • | • | • |
| | 2" | 924-8-60 | 815 Series | • | IB15-8-60 | • | • | • |
| | 1-1/4" | 924-5-100 | 815 Series | • | IB15-5-100 | • | • | • |
| | 1-1/2" | 924-6-100 | 815 Series | • | IB15-6-100 | • | • | • |
| | 2" | 924-8-100 | 815 Series | • | IB15-8-100 | • | • | • |
| | 1-1/4" | 924-5-125 | 815 Series | • | IB15-5-125 | • | • | • |
| | 1-1/2" | 924-6-125 | 815 Series | • | IB15-6-125 | • | • | • |
| | 2" | 924-8-125 | 815 Series | • | IB15-8-125 | • | • | • |
| | 1-1/4" | 924-5-180 | 815 Series | • | IB15-5-180 | • | • | • |
| | 1-1/2" | 924-6-180 | 815 Series | • | IB15-6-180 | • | • | • |
| | 2" | 924-8-180 | 815 Series | • | IB15-8-180 | • | • | • |
| | 1-1/4" | 924-5-225 | 815 Series | • | IB15-5-225 | • | • | • |
| | 1-1/2" | 924-6-225 | 815 Series | • | IB15-6-225 | • | • | • |
| 2" | 924-8-225 | 815 Series | • | IB15-8-225 | • | • | • | |
| 1-1/4" | 924-5-250 | 815 Series | • | IB15-5-250 | • | • | • | |
| 1-1/2" | 924-6-250 | 815 Series | • | IB15-6-250 | • | • | • | |
| 2" | 924-8-250 | 815 Series | • | IB15-8-250 | • | • | • | |

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Inverted Bucket Trap (Continued)

| MOUNTING PATTERN | Size | Sterlco | Armstrong | Hoffman | Mepco | Nicholson Spence | Spirax Sarco | Watson Macdaniel |
|------------------|--------|------------|------------|---------|-------------|------------------|--------------|------------------|
| HORIZONTAL NPT | 2" | 925-8-15 | 816 Series | • | IB16-8-15 | • | • | • |
| | 2-1/2" | 925-10-15 | 816 Series | • | IB16-10-15 | • | • | • |
| | 2" | 925-8-25 | 816 Series | • | IB16-8-25 | • | • | • |
| | 2-1/2" | 925-10-25 | 816 Series | • | IB16-10-25 | • | • | • |
| | 2" | 925-8-40 | 816 Series | • | IB16-8-40 | • | • | • |
| | 2-1/2" | 925-10-40 | 816 Series | • | IB16-10-40 | • | • | • |
| | 2" | 925-8-60 | 816 Series | • | IB16-8-60 | • | • | • |
| | 2-1/2" | 925-10-60 | 816 Series | • | IB16-10-60 | • | • | • |
| | 2" | 925-8-80 | 816 Series | • | IB16-8-80 | • | • | • |
| | 2-1/2" | 925-10-80 | 816 Series | • | IB16-10-80 | • | • | • |
| | 2" | 925-8-125 | 816 Series | • | IB16-8-125 | • | • | • |
| | 2-1/2" | 925-10-125 | 816 Series | • | IB16-10-125 | • | • | • |
| | 2" | 925-8-180 | 816 Series | • | IB16-8-180 | • | • | • |
| | 2-1/2" | 925-10-180 | 816 Series | • | IB16-10-180 | • | • | • |
| | 2" | 925-8-250 | 816 Series | • | IB16-8-250 | • | • | • |
| | 2-1/2" | 925-10-250 | 816 Series | • | IB16-10-250 | • | • | • |

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.